

# Declaration of Performance

in compliance with regulation No. 305/2011 of European Parliament

DoP	01	2021	Wall	EN
-----	----	------	------	----

1. Unique Identification code of the product-type:	Dewmark® Wall															
2. Type of the construction product:	<table border="1"> <tr> <td>AV 11</td> <td>AV 14</td> <td>AV 19</td> <td>AV 22</td> <td>AV 25</td> </tr> <tr> <td>AV 12</td> <td>AV 15</td> <td>AV 20</td> <td>AV 23</td> <td>AV 26</td> </tr> <tr> <td>AV 13</td> <td>AV 16</td> <td>AV 21</td> <td>AV 24</td> <td>AV 27</td> </tr> </table>	AV 11	AV 14	AV 19	AV 22	AV 25	AV 12	AV 15	AV 20	AV 23	AV 26	AV 13	AV 16	AV 21	AV 24	AV 27
AV 11	AV 14	AV 19	AV 22	AV 25												
AV 12	AV 15	AV 20	AV 23	AV 26												
AV 13	AV 16	AV 21	AV 24	AV 27												
3. Intended use or uses of the construction product	System of aluminum profiles for expansion and seismic joints, class EXC1, according to EN 1090-3 for load bearing structures in all types of building															
4. Parent materials:	Aluminum alloy EN AW 6060 Aluminum alloy EN AW 6063															
5. Name and adress of the manufacturer	LLC „Dewmark” Moscow 115477, st. Delovaya, 11, p.8, Russia web:www.dewmark-joint.com contact: info@dewmark-joint.com															
6. System of assessment performance	AVCP System 2+															
7. In case of the declaration of performance concerning a construction product covered by a harmonised standard:	EN 1090-1:2009+A1:2011															

TÜV Rheinland Bulgaria Ltd. (Notified certification body No. 1853) performed the initial inspection of the manufacturing plant and of factory production control and the continuous surveillance, assessment and evaluation of factory production control and issued the certificate of conformity of the Factory Production Control performance under AVCP System 2+

## 8. Declared Performances

Essential characteristics	Performance	Value
Tolerance on dimension and shape	EN 1090-3	EN 1090-1:2009+A1:2011
Fracture toughness	NPD	
Weldability	NPD	
Reaction to fire	Material classified: Class A1	
Load bearing capacity	NPD	
Durability	NPD	

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 7. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Place and date of issue: 12.02.2021 Moscow

Signed for and on behalf of the manufacturer by:



CEO Denis Voronovich